



Advanced
Standard
Basic

3 Car Wrapping Kits for Professionals



HG 530-A

Advanced



EcoMode

HG 530-A Car Wrapping Kit

- + Intelligent Eco-Mode saves energy and money
- + Heat protection for increased safety
- + Air inlet covers ensure air supply
- + Increased flexibility when working thanks to its 5 m (16.4 ft) cable
- + Individual parameter control and recall ability

The Weldy HG 530-A Car Wrapping Kit has everything professional car wrappers need: HG 530-A heat gun with Eco-Mode, digital temperature and blower control, 5 meter long cable and practical air inlet covers.



Technical data

Voltage [V]	120	230
Max. power [W]	1500	2300
Temperature [°C]	80 - 650	
Temperature [°F]	180 - 1200	
Air volume [l/min]	200 - 500	200 - 550
Air volume [cfm]	7.1 - 17.7	7.1 - 19.4
Dimensions L x W x H [mm]	250 x 80 x 230	
Dimensions L x W x H [inches]	9.0 x 9.8 x 3.1	
Weight [g]	750	
Weight [lbs]	1.7	
Conformity marking	CE	
Protection class II	□	

Article numbers

HG 530-A, 230V/2300W, Car Wrapping Kit, EU plug	128.354
HG 530-A, 120V/1440W, Car Wrapping Kit, US plug	128.356
HG 530-A, 230V/2300W, Car Wrapping Kit, CH plug	128.620
HG 530-A, 230V/2300W, Car Wrapping Kit, CN plug	127.586

Included accessories

	Heat protection device	165.036
	Air inlet cover set (2 pcs)	165.041



HG 330-S

Standard



HG 330-S Car Wrapping Kit



- + Increased safety thanks to the heat protection
- + Infinitely variable temperature control up to 600 °C
- + Air inlet covers ensure proper air supply
- + 5 m long cable for increased working range
- + Heat gun with two air stages

The HG-330-S Car Wrapping Kit is relied on for professional wrap installations around the globe. The kit includes the handy HG 330-S heat gun with its long cable, two air inlet covers and the proven heat protection.

Technical data

Voltage [V]	120	230
Max. power [W]	1400	2000/2300
Temperature [°C]	80-600	
Temperature [°F]	180-1112	
Air volume [l/min]	250/450	250/550
Air volume [cfm]	8.8/15.9	8.8/19.4
Dimensions L x W x H [mm]	250 x 80 x 230	
Dimensions L x W x H [inches]	9.0 x 9.8 x 3.1	
Weight [g]	700	
Weight [lbs]	1.5	
Conformity marking	CE	
Protection class II	□	

Included accessories

	Heat protection device	165.036
	Air inlet cover set (2 pcs)	165.041

Article numbers

HG 330-S, 230V/2000W, Car Wrapping Kit, EU plug	130.940
HG 330-S, 120V/1400W, Car Wrapping Kit, US plug	130.941
HG 330-S, 230V/2000W, Car Wrapping Kit, CH plug	130.942



HG 330-B

Basic



HG 330-B Car Wrapping Kit

- + Heat protection increases safety
- + Practical air inlet covers
- + 5 m (16.4 ft) cable for more flexibility when working
- + Ergonomic and lightweight for high productivity
- + Stability due to high tilt angle

The Weldy Car Wrapping Kit, consisting of the HG 330-B heat gun with 5 meter long cable, burn protection and two air inlet covers, is the perfect tool for professional car wrapping.



Technical data

Voltage [V]	120	230
Max. power [W]	1200	1600
Temperature [°C]	350/550	
Temperature [°F]	660/1020	
Air volume [l/min]	250/400	350/500
Air volume [cfm]	8.8/14.1	12.4/17.7
Dimensions L × W × H [mm]	250 × 80 × 230	
Dimensions L × W × H [inches]	9.0 × 9.8 × 3.1	
Weight [g]	700	
Weight [lbs]	1.5	
Conformity marking	CE	
Protection class II	□	

Article numbers

HG 330-B, 230V/1600W, Car Wrapping Kit, EU plug	128.353
HG 330-B, 120V/1200W, Car Wrapping Kit, US plug	128.355
HG 330-B, 230V/1600W, Car Wrapping Kit, CH plug	128.619
HG 530-A, 230V/2300W, Car Wrapping Kit, CN plug	127.586

Included accessories

	Heat protection device	165.036
	Air inlet cover set (2 pcs)	165.041








Heat protection for increased safety


Without Heat protection device

Preset temperature	Surface temperature of heater tube
650 °C 1200 °F	370 °C 700 °F
450 °C 840 °F	280 °C 540 °F




With Heat protection device

Preset temperature	Using a heat protection device
650 °C 1200 °F	80 °C 175 °F
450 °C 840 °F	55 °C 130 °F



Available accessories



165.036
Heat protection device



165.041
Air inlet cover set
(2 pcs)



126.311
Leather holster



119.341
Glass protection nozzle
(\varnothing 35.5) 50 x 5 mm



119.342
Wide slot nozzle
(\varnothing 35.5) 50 x 3 mm



119.343
Tubular nozzle
(\varnothing 35.5) \varnothing 20mm, 30mm,
straight



119.344
Spoon reflector (\varnothing 35.5)
40 x 35 mm, 90° angled



130.146
Pressure roller (silicone)
30 mm, with ball bearing



weldy.com



Get in touch

Benelux

Leister Technologies Benelux BV
3991 CE Houten / Nederland
+31 (0)30 2199888
info@leister.nl

2270 Herenthout / België
+32 (0)14 22 69 93
info@leister.be

China

Leister Technologies Ltd. Shanghai
201 109 / PRC
+86 21 6442 2398
leister@leister.cn

Germany

Leister Technologies
Deutschland GmbH
42103 Wuppertal / Germany
+49 (202) 87006-0
info.de@leister.com

India

Leister Technologies India Pvt
600 041 Chennai / India
+91 44 2454 3436
info@leister.in

Italy

Leister Technologies Italia s.r.l.
20054 Segrate / Italia
+39 02 2137647
sales@leister.it

Japan

Leister Technologies KK
Yokohama 222-0033 / Japan
+81 45 477 3637
sales-japan@leister.com

Singapore

Leister Tech Asia Pte. Ltd.
Singapore
+65 9787 8712
info.sg@leister.com

USA

Leister Technologies LLC
Itasca, IL 60143 / USA
+1 855 534 7837
info.usa@leister.com

International Distribution

Leister International AG
+41 41 662 74 74
leister@leister.com