

LEISTER

SEAMTEK 900 AT SEAMTEK 2000 AT

Perfect taped seams, hems, piping and tape welding



SEAMTEK 900 AT

- + Multi-arm system
- + Digitally regulated welding parameters
- + Intuitive user interface
- + Test mode to quickly define parameters
- + Low-maintenance and durable



Maximum flexibility for specific applications

With the low-maintenance SEAMTEK 900 AT welding machine, even inexperienced users succeed in welding perfect taped seams, hems, piping and tape welds. Intuitive operation via touch screen.

Technical Data

Voltage [V]	230/240
Frequency [Hz]	50/60
Power [W]	4500
Speed [m/min]	0.1 – 30
Temperature [°C]	120 – 700
Air volume adjustable	Yes
Length [mm]	1500
Width [mm]	702
Height [mm]	1500
Weight [kg]	238
Plug	without plug
Power cable length [m]	2.0
Conformity mark	CE
Protection class	I

Accessories

	SEAMTEK 900 AT
	166.600 Table 900
	142.200 Puller E
	157.630 Quickarm
	157.629 Sidearm



SEAMTEK 2000 AT

- + Easy to configure thanks to it's multi-arm system
- + Welding parameters digitally controlled and stored
- + Intuitive user interface
- + Guides can be changed quickly
- + Endless tube welding



Weld large products made from technical textiles in an efficient and safe manner

SEAMTEK 2000 AT offers users even more space than SEAMTEK 900 AT when working. This enables efficient and safe welding of large products made from technical textiles.

Technical Data

Voltage [V]	230/240
Frequency [Hz]	50/60
Power [W]	4500
Speed [m/min]	0.1 – 30
Temperature [°C]	120 – 700
Air volume adjustable	Yes
Length [mm]	2650
Width [mm]	702
Height [mm]	1500
Weight [kg]	403
Plug	without plug
Power cable length [m]	2.0
Conformity mark	CE
Protection class	I

Accessories

SEAMTEK 2000 AT



142.500
Table 2000



144.200
Puller and Table 2000 E



142.200
Puller E



157.630
Quickarm



Pressure roller, steel

155.392	8 mm
155.393	13 mm
155.863	19 mm
154.593	25 mm
155.864	38 mm
155.394	50 mm
155.865	57 mm
154.619	64 mm

Pressure roller, silicone 50ShA

155.401	13 mm
155.402	19 mm
155.403	25 mm
155.404	38 mm
155.405	50 mm
155.406	57 mm
155.407	64 mm

Welding nozzle

151.598	13 mm
151.601	19 mm
151.597	25 mm
151.608	38 mm
151.599	50 mm
151.850	55 mm
151.600	64 mm

Accessories**SEAMTEK 900 AT/SEAMTEK 2000 AT**

157.808
Welding nozzle Seamtek 900 AT 8 mm (low air flow)



157.799
Welding nozzle Seamtek 900 AT 13 mm (low air flow)



152.956
Hem welding nozzle Seamtek 25 mm



152.941
Sealing nozzle 25 mm Seamtek



152.931
Tape welding nozzle adjustable Seamtek 15–50 mm

Accessories**SEAMTEK 900 AT/SEAMTEK 2000 AT**

169.257
Adjustable nozzle for zipper (2 × 3–25 mm)



170.005
Pressure roller, adjustable for zipper (0–14 mm)



153.730
Tape welding nozzle Seamtek 25 mm



155.540
Modular 3D/prayer seam guide



155.530
Adjustable hem and piping guide 0–50 mm



155.760
Adjustable hem and piping guide 0–60 mm



156.780
Overlap guide for quick arm



156.770
Adjustable acrylic tape welding guide



155.400
Holding system for guides



155.380
Adjustable hem guide



156.760
Overlap guide from left side



155.660
Adjustable overlap guide 0–64 mm



159.389
Adjustable pedestal table



158.789
Tape cutting device 18–25 mm



158.520
LED Gooseneck lamp



168.924
Parameter switch pedal



155.410
Connection adapter for suction unit



154.609
Supervision monitoring system



154.606
Tape delivery system



116.798
Wire brush, brass



150.581
Heating element, 230 V/3600 W

**Leister Technologies AG**

Galileo-Strasse 10
6056 Kaegiswil
Switzerland

+41 41 662 74 74
leister@leister.com

www.leister.com

Local Partners

Leister International AG
+41 41 662 74 74
leister@leister.com

Benelux

Leister Technologies
Benelux BV
+31 (0)30 2199888
info@leister.nl

China

Leister Technologies Ltd.
+86 21 6442 2398
leister@leister.cn

Germany

Leister Technologies
Deutschland GmbH
+49-(0)2331-95940
info.de@leister.com

India

Leister Technologies
India Pvt
+91 44 2454 3436
info@leister.in

Italy

Leister Technologies
Italia s.r.l.
+39 02 2137647
sales@leister.it

Japan

Leister Technologies KK
+81 45 477 3637
sales-japan@leister.com

USA

Leister Technologies LLC
+1 855 534 7837
info.usa@leister.com