

LEISTER

SEAMTEK W-900 AT SEAMTEK W-2000 AT

Hot wedge technology



SEAMTEK W-900 AT

- + No preheating required
- + Virtually no smoke
- + Safe and easy to use
- + Adjust speed without problems
- + Save power in standby mode



Variable speed for maximum efficiency

With the innovative SEAMTEK W-900 AT welding machine, users weld technical textiles made of PVC, PE, PU and PP in a particularly efficient manner, while saving on energy consumption.

Technical Data

Voltage [V]	230/240
Frequency [Hz]	50/60
Power [W]	3900
Speed [m/min]	0.5 - 30.0
Temperature [°C]	0 - 680
Length [mm]	1500
Width [mm]	702
Height [mm]	1500
Weight [kg]	238
Plug	without plug
Power cable length [m]	2.0
Conformity mark	CE
Protection class	I

Accessories

	SEAMTEK W-900 AT
	166.600 Table 900
	142.200 Puller E
	157.630 Quickarm



SEAMTEK W-2000 AT

- + Variable speed
- + Economical, thanks to its low energy consumption
- + Almost no smoke, increasing occupational safety
- + Inexpensive replacement wedges
- + No preheating required



Weld large products made from technical textiles

The SEAMTEK W-2000 AT welding machine offers users even more space than SEAMTEK W-900 AT. This enables efficient and safe welding of large products made from technical textiles.

Technical Data

Voltage [V]	230/240
Frequency [Hz]	50/60
Power [W]	3900
Speed [m/min]	0.5 - 30
Temperature [°C]	0 - 680
Length [mm]	2650
Width [mm]	702
Height [mm]	1500
Weight [kg]	403
Plug	without plug
Power cable length [m]	2.0
Conformity mark	CE
Protection class	I

Accessories

SEAMTEK W-2000 AT

	142.500 Table 2000
	144.200 Puller and Table 2000 E
	142.200 Puller E
	157.630 Quickarm



3D/HS Wedge (set of 5)

	163.419	8mm
	163.420	13mm
	163.421	19mm
	163.422	25mm
	165.009	30mm
	163.423	38mm
	163.424	50mm
	163.425	57mm
	163.426	64mm
	163.427	8mm
	163.428	13mm
	163.429	19mm
	163.422	25mm
	163.430	30mm
	163.431	38mm
	163.432	50mm
	163.433	57mm
	163.434	64mm

3D/HS Filling piece

	162.857	8mm
	162.850	13mm
	162.843	19mm
	162.701	25mm
	163.386	30mm
	162.805	38mm
	162.820	50mm
	162.831	57mm
	162.836	64mm
	163.193	8mm
	163.197	13mm
	163.397	19mm
	163.401	25mm
	163.390	30mm
	163.406	38mm
	163.410	50mm
	163.414	57mm
	163.418	64mm

Pressure roller, silicone

	155.401	13mm
	155.402	19mm
	155.403	25mm
	165.007	30mm
	155.404	38mm
	155.405	50mm
	155.406	57mm
	155.407	64mm

3D/HS Wedge bracket

	162.854	8mm
	162.847	13mm
	162.846	19mm
	162.700	25mm
	162.809	38mm
	162.818	50mm
	162.829	57mm
	162.837	64mm
	163.172	8mm
	163.173	13mm
	163.174	19mm
	163.175	25mm
	163.176	38mm
	163.177	50mm
	163.178	57mm
	163.179	64mm

Accessories**SEAMTEK W-900 AT/SEAMTEK W-2000 AT**

	155.540 Modular 3D/prayer seam guide
	155.530 Adjustable hem and piping guide 0-50mm
	155.760 Adjustable hem and piping guide 0-60mm
	156.780 Overlap guide for quick arm
	155.400 Holding system for guides
	155.380 Adjustable hem guide
	156.760 Overlap guide from left side
	155.660 Adjustable overlap guide 0-64mm
	159.389 Adjustable pedestal table
	158.520 LED Gooseneck lamp
	154.606 Tape delivery system
	116.798 Wire brush, brass
	168.354 Parameter switch pedal
	160.330 Addition power supply 1500W
	165.601 Butt guide

**Leister Technologies AG**

Galileo-Strasse 10
6056 Kaegiswil
Switzerland

+41 41 662 74 74
leister@leister.com

leister.com

Benelux

Leister Technologies
Benelux BV
3991 CE Houten /
Nederland
+31 (0)30 2199888
info@leister.nl

2270 Herenthout / België
+32 (0)14 22 69 93
info@leister.be

China

Leister Technologies Ltd.
Shanghai 201 109 / PRC
+86 21 6442 2398
leister@leister.cn

Germany

Leister Technologies
Deutschland GmbH
42103 Wuppertal /
Germany
+49 (202) 87006-0
info.de@leister.com

India

Leister Technologies
India Pvt
600 041 Chennai / India
+91 44 2454 3436
info@leister.in

Italy

Leister Technologies
Italia s.r.l.
20054 Segrate / Italia
+39 02 2137647
sales@leister.it

Japan

Leister Technologies KK
Yokohama 222-0033 /
Japan
+81 45 477 3637
sales-japan@leister.com

Singapore

Leister Tech Asia Pte. Ltd.
Singapore
+65 9787 8712
info.sg@leister.com

USA

Leister Technologies LLC
Itasca, IL 60143 / USA
+1 855 534 7837
info.usa@leister.com

International Distribution

Leister International AG
+41 41 662 74 74
leister@leister.com