



# Hot-air blower

VI WELDY

simple. good. affordable.

## HG 530-A: The powerful Weldy hot-air blower

The HG 530-A hot-air gun is a compact, lightweight, and ergonomic Weldy hot-air blower. Its high-output heat element and blower make it one of the more powerful Weldy hot-air hand tools. Infinitely variable digital temperature control keeps its operating temperature constant at between 80 °C and 650 °C, regardless of the air quantity setting and the nozzle accessory used. The versatile and multifunctional HG 530-A hot-air gun is suitable for use in a wide variety of industrial applications including car wrapping, cable shrink tubing, loosening screws or valves, and so on.

VI WELDY

#### Hot-air blower

### HG 530-A

- a high-performance, powerful hot-air blower
- digital temperature control for a consistent working temperature
- versatile and easy to use, with an ergonomic design
- five configurable memory locations for temperature and air stages

#### Technical data

Voltage	V~	100	120	230
Max. power	W	1300	1500	2300
Temperature	°C	80 - 650	80 - 650	80 - 650
Air volume	I/min	200 - 500	200 - 500	200 - 550
Dimensions L $\times$ W $\times$ H	mm	$250 \times 80 \times 230$		
Weight	kg	0.75		
Conformity marking			CE	
Protection class II				

Only available as a kit (hot-air hand tool incl. accessories)







Kit HG 530-A	
230 V / 2300 W, CN plug	124.407
230 V / 2300 W, EU plug	164.327
230 V / 2300 W, CH plug	134.694
230 V / 2300 W, UK plug	131.325
230 V / 2300 W, AUS plug	133.775
120 V / 1500 W, US plug, polarized (UL)	123.159
100 V / 1300 W, JP plug	120.132
Accessories (included in kit)	
119.344 Spoon reflector	•
<b>119.345</b> Tubular nozzle $\varnothing$ 6 mm	•
119.346 Wide slot nozzle 25 mm	•
119.347 Solder reflector nozzle	•
119.348 Pressure roller (ABS)30 mm	•
Carton tool packaging	•
Instruction manual	•





Händleradresse:

© Copyright by Leister, Switzerland



Leister Technologies AG ist ISO 9001 zertifiziert.